Phase 2 Group 3

RD # 76

Provide the ability to print multiple Approved CPIN

On the Status of Approved CPINs screen, a column of che
boxes titled “Print” will be added to the right of each line
along with a check box at the top of the column titled “All
The user can check as many entries as necessary or chec
“All” for all entries. When the applicable entries have be
checked, the user will select the “View CPIN Info” button
the information that currently displays from the report on
CPIN Request Approval Printing screen will display. Each
individual CPIN that was checked will display on a separa
sheet, one after the other. The user can then select the
“Print” button and the information for all the checked CPI
will print.

Phase 2 Group 3

RD # 75

The system will provide a cross reference from CSCI to CPIN and from CPIN to CSCI

A new cross reference titled “CSCI to CPIN” will be created for both the USAF Cross References and the Country Cross References. Fields for this cross Reference will be CSCI, CPIN, MCTR, Start Date, End Date and Order BY (CPIN or CSCI).

Phase 2 Group 3

RD #47

Add a “Print” button for all Forms screens and capability to print

A “Print” button will be added to all screens in the ACPINS Forms & Reports Menu. The “Print” button will be located in the same vicinity (when applicable) on all screens.

Phase 2 Group 3

RD #77

Need to clarify CLEAR and REMOVE buttons. Sometimes CLEAR removes the whole screen an sometimes REMOVE clears the data field.

All screens in the ACPINS Forms & Reports Menu will have three buttons (Clear Field, Clear Form and Delete)
Clear Field = clears data from the field the cursor is in,
Clear Form = clears data from the entire form,
Delete = deletes current record.
The three buttons will be located in the same vicinity (when applicable) and in the same sequence and on al screens.

Phase 2 Group 3

DPR OO-2189

Change LRU/SRU buttons from mandatory to optional. This sill apply to the CPIN Request scr and the CPIN DBA screen CPIN Test Station

This will apply to the CPIN Request screen and the CPIN DBA screen CPIN Test Station.

Phase 2 Group 3

DPR OO-2590

On the Test Station/UUT/ITA to CPIN Cross Reference, change the linkage to match the Control Comp/Equip Part #/ITA linkage

The following requirement details were presented and all attendees concurred.

1. Under DBA CPIN screens, there will be a new DBA CPIN screen titled “CPIN UUT” with fields for CPIN, Rev #, UUT Part # and Description. The existing CPIN ITA (F, S &T typ will be renamed CPIN ITA. The CPIN Test Station/UUT/ITA to CPIN will be modified to CPIN Test Station.

Phase 2 Group 3

DPR OO-2590 (continued)

2. Under History screens there will be a new History scree
titled CPIN UUT with fields for CPIN, Rev #, UUT Part #,
Description, Action, Action Date, Action Cntl # and CPIN C
The existing CPIN ITA (F, S & T types) screen will be renam
CPIN ITA. The CPIN Test Station/UUT/ITA will be modified t
CPIN Test Station.

3. When the existing data is migrated, there could be an
approximate 10% loss of data. For those CPINS that do no
show up with the UUT & ITA part number, the part number
have to be reentered.